

DILUTION UNITS

Manual pump



Manual pump, works with the push of a button, dosing adjusted by replacing the end stroke, selectable from 15 cc / 22 cc / 30 cc. It can be installed in any orientation, with aluminium spout. The limit function prevents the over dosage.

Code	Description
616GB	Manual pump 616 - aluminium spout

ManualBox



It holds 1 litre canister; it is locked up by key. Stainless steel box, dilutor made in plastic material.
Settings available: 15/22/30 cc / push
Complete with wall mounting kit

Code	Description
MANUALBOX	Manualbox 1 product

DESINFECTOR



1100 ml tank for stocking the gel or liquid disinfectant
Infrared sensor: contactless operation
Battery 4xLR6 - AA (in the package)
Dimensions (mm): 230 x 140
Conforms CE and HACCP standard

Code	Description
	Disinfectant

Mini DIL



Plastic dilution system of one product

- Flow rate: 14 l / min. and 4 l / min.
- Automatically dilutes chemical products.
- Easy to install and use.

Code	Description
	1 product 4 LPM (Button)
	1 product 14 LPM (Button)

RITEDOSE



Distributor and blender of chemicals, ease of installation and use, allows for precise automatic dilution of concentrated chemicals.

Code	Description
	1 product, 8 LPM (Button)
	1 product, 8 LPM (Bottle)

EVODOSE



Dilutes and distributes up to four products, is equipped with a selector valve to select the product you want, the unit has an anti-return valve in compliance with UNI EN 1717

Code	Description
	Evodose - 1 product, 4 LPM (Bottle)
	Evodose - 1 product, 4 LPM (Button)
	Evodose - 1 product, 14 LPM (Button)
	Evodose - 1 product, 14 LPM (Pistolet)
	Evodose - 4 products, 4x4 LPM + 1x14 LPM (Button / Bottle)
	Evodose - 4 products, 2x4 LPM + 2x14 LPM (Button / Bottle)
	Evodose - 4 products, 3x4 LPM + 1x14 LPM (Button / Bottle)

HYDROMASTER



HydroMaster drum or wall-mounted proportioners mix liquid cleaning and sanitizing concentrates with water automatically, before dispensing the diluted solution into a range containers.

Code	Description
157M001	1 product 10 LPM - (dilution ratio 18% - 0,25%)
157M002	1 product 22 LPM - (dilution ratio 50% - 0,9%)

ELITE CLEAN



Cleaning and disinfection station available with 10/15/20 meters of hose + spray gun.

Two versions available:

- 1 product: detergent + water and fresh water to rinse.
- 2 products: detergent + water, sanitizer + water and fresh water to rinse.

Code	Description
	Elite clean - 1 product
	Elite clean - 2 products

ECO STATION



Cleaning and disinfection station available with 10 meters of hose + spray gun.

One version available:

- 1 product: detergent + water and fresh water to rinse.

Code	Description
	Eco station - 1 product

MANUAL FOAM SPRAYER



Manual foam sprayer.

Code	Description
MNMF_1.0	Hydraulic foamer - 1 L.
MNMF_1.4	Hydraulic hydro foamer - 1.4 L.
MNMF_2.8	Hydraulic hydro foamer - 2.8 L.

CAR PRO



High pressure spray systems for carwash applications.
Washing system with the following features:

- Dosing: from 1 to 16 %
- Flow rate: 5 litres per minute
- Venturi in stainless steel

Code	Description
170M001	Car pro – hose 15 m. – lance in stainless steel (60 cm)
170M002	Car pro – hose 15 m. – lance telescopies in stainless steel (1-2 m.)
170M003	Car pro – hose 25 m. – lance in stainless steel (60 cm)
170M004	Car pro – hose 25 m. – lance telescopies in stainless steel (1-2 m.)

CAR NET



High pressure spray systems for carwash applications.
Drying system with the following features:

- Dosing: from 0.9 to 14 %
- Flow rate: 8 litres per minute
- Venturi in stainless steel

Code	Description
172M001	Car net – hose 15 m. – lance in plastic (45 cm)
172M002	Car net – hose 25 m. – lance in plastic (45 cm)

CAR DUO



High pressure spray systems for carwash applications.
Washing and drying system with the following features:

Washing:

- Dosing: from 1 to 16 %
- Flow rate: 5 litres per minute
- Venturi in stainless steel

Drying:

- Dosing: from 0.9 to 14 %
- Flow rate: 8 litres per minute
- Venturi in stainless steel

Code	Description
171M001	Car duo – hose 15 m. – lance in stainless steel (60 cm) and lance in plastic (45 cm)
171M002	Car duo – hose 15 m. – lance telescopies in stainless steel (1-2 m.) and lance in plastic (45 cm)
171M003	Car duo – hose 25 m. – lance in stainless steel (60 cm) and lance in plastic (45 cm)
171M004	Car duo – hose 25 m. – lance telescopies in stainless steel (1-2 m.) and lance in plastic (45 cm)